



Content TSI (281 pages)

(general requirements to the freight carriages)

Section 1 ATTACHMENT DEVICES FOR REAR-END SIGNALS, CLEARANCE FOR DRAW HOOKS, SPACE FOR SHUNTING STAFF OPERATION, FOOTSTEPS AND HANDRAILS (15 pages)

1. Attachment device for rear-end signal (point 4.2.6.3)	4
2. Clearance for draw hooks (Appendix C, Section 1)	5
3. Space for shunting staff operation (Appendix C, Section 1)	6
4. Footsteps and handrails (Appendix C, Section 2)	7
4.1 Minimum requirements for handrails	7
4.2 Minimum requirements for footsteps	7
4.3 Shunter's stand	8
4.4 Gangways	13

Section 2 ERA – TF ACTIVITIES, EVIC CATALOG FOR RAILWAY AXLES, WHEELSET TRACEABILITY (EWT), AXLES MAINTENANCE CRITERIA (ECCM) (116 pages)

2.1 Final report on the activities of the Task Force Freight Wagon Maintenance (14 pages)

1. Introduction	4
2. Risk assessment ..	5
3. Survey: situation of broken axles in the European Union	6
4. The deliverables	7
4.1 Continued High Performance Operation of UIC type A wheelsets	7
4.2 The European Visual Inspection Catalogue (EVIC) for freight wagon axles ..	8
4.2.1 The sampling	9
4.2.2 Implementation	9
4.3 The European wheelset Traceability Catalogue (EWT) for freight wagon axles	10
4.4 The European Common Criteria for Maintenance (ECCM) for freight wagon axles	10
4.5 Adaptation of EN standards for wheelset design and maintenance	12
5 Challenges faced by the Task Force	12
6 Conclusions	13
7 Continuation	14



2.2 Terms of reference for the task force on freight wagon maintenance
(9 pages)

1 Introduction	4
2 Scope and objectives of the Task Force	4
3 Working methods, resources and work programme	4
_ Work plan timetable	6
_ Survey on broken axles (2 stages)	7

2.3 Implementation guide for the european visual inspection catalogue
(EVIC) for freight wagon axles (15 pages)

1 Definitions	3
2 Basics and preparing inspections	4
2.1 Reasons for the EVIC program	4
2.2 Objectives of the EVIC program	5
2.3 Timeframes for the EVIC inspection	5
2.4 The tasks of the Joint EVIC body per country	6
2.5 Preparing the working documents	8
2.6 Mandating and invoicing the EVIC inspection	8
2.7 Staff qualifications	9
3 Conducting the Visual Inspections	10
3.1 Execution of the Visual Inspections	10
3.2 Actions to be taken after inspection (cases)	11
4 Recording the Visual Inspections	12
4.1 Overview on EVIC categories and logging	12
4.2 Workshops tasks	13
4.3 Keepers tasks	14
4.4 Joint EVIC bodies tasks	15

2.4 European visual inspection catalogue (EVIC) for freight wagon axles to be
applied in light maintenance of freight wagons in workshops (21 pages)

1 Damage category	2
2 Criteria for painted axles	3
3 Criteria for unpainted axes	12
4 Abutment area	20



2.5 Implementation guide for the european wheelset traceability (EWT) for freight wagon axles (15 pages)

1	Definitions	3
2	Reasons for the EWT.....	4
3	Objectives of the EWT	5
4	Timeframes	5
5	Boundary conditions	6
6	The tasks of the Joint EWT bodies	6
7	The tasks of the keeper.	8
8	The tasks of the workshop	8
9	Data to be collected	9
9.1	Wheelset in general	9
9.2	Wheelset axle	10
9.3	Wheels	11
9.4	Bearings	12
9.5	Medium and Heavy Wheelset maintenance	13
9.6	Vehicle in which the wheelset is built in	13
9.7	Irregularities	14
10	Measures resulting from lack of traceability	15

2.6 European Common Criteria for Maintenance (ECCM) of freight wagon axles (42 pages)

1	ECCM results summary	4
1.1	Light wagon maintenance level	7
1.2	Heavy wagon maintenance level (revision, major overhaul).....	9
2	Reprofiling only level	11
3	„Medium maintenance“ level (without changing wheels, combined with bearing overhaul)	13
4	Heavy maintenance level (with changing the wheels)	16
5	Special regimes	19
6	Limits for axle maintenance	21
7	Traceability	35
8	Measures resulting from lack of traceability	37
9	Handling and storage	40



Section 3 INTERFACES BETWEEN CONTROL-COMMAND AND
SIGNALLING TRACKSIDE AND OTHER SUBSYSTEMS (V3) (27 pages):

1 Introduction	5
2 Scope.....	6
3 Interface characteristics.....	9
3.1 Vehicle design and operation	9
3.2 Electromagnetic compatibility.....	21

Section 4 INTERFACES BETWEEN CONTROL-COMMAND AND
SIGNALLING TRACKSIDE AND OTHER SUBSYSTEMS (V4) (37 pages):

1 Introduction	5
2 Scope.....	6
3 Interface characteristics.....	9
3.1 Vehicle design and operation	9
3.2 Electromagnetic compatibility.....	23

Section 5 SPECIFIC PROCEDURES FOR RUNNING DYNAMICS (10 pages):

1 Specific assessment concerning running dynamic testing following EN 14363	4
1.1 Conditions for testing on one rail inclination.....	4
1.2 Limit values for running safety.....	4
1.3 Track loading limit values.....	5
2 Qualification of running gear.....	6
2.1 Test extent	6
2.2 Range of running gear parameters for dispensation from on-track tests.....	8
2.3 Range of vehicle body parameters for dispensation from on-track tests.....	10

Section 6 SPECIFICATIONS ON SLACK ADJUSTERS (8 pages):

1 Functional specifications of slack adjusters	4
2 Specifications for slack adjusters	5
3 Design assessment of slack adjusters	7
4 Product assessment for slack adjusters	8

Section 7 FRICTION ELEMENTS FOR WHEEL TREAD BRAKES FOR
FREIGHT WAGONS (V2) (34 pages):

1 Introduction	4
2 Terms and definitions	5
3 Abbreviations	7



4 Dynamic friction coefficient	8
5 Static friction coefficient	14
6 Mechanical characteristics	16
7 Suitability for train detection by systems based on track circuits	18
8 Suitability for severe environmental conditions	24
9 Thermo mechanical characteristics	34

Section 8 FRICTION ELEMENTS FOR WHEEL TREAD BRAKES FOR
FREIGHT WAGONS (V3) (34 pages):

1 Introduction	4
2 Terms and definitions	5
3 Abbreviations	7
4 Dynamic friction coefficient	8
5 Static friction coefficient	14
6 Mechanical characteristics	16
7 Suitability for train detection by systems based on track circuits	18
8 Suitability for severe environmental conditions	24
9 Thermo mechanical characteristics	34